





RÖCKA


DESCRIPTION: Step TEXTURE: Fossil stone

48" DOUBLE-SIDED

Specifications per pallet		Imperial	Metric
	Dimension Front (L x D x H)	48 x 14 7/8 x 6	1 219 x 378 x 152
	Dimension Back (L x D x H)	48 x 14 1/8 x 6	1 219 x 359 x 152
8 units / pallet	Cubing	8 units	8 units
	Linear coverage per pallet	32 lin. ft	9.76 lin. m
	Approx. Weight	2 770 lbs	1 256 kg
	Number of rows	4	
	Lin. coverage per row	8 lin. ft	2.44 lin. m

60"

Specifications per pallet		Imperial	Metric
	Dimension Front (L x D x H)	60 x 15 1/4 x 6	1 524 x 387 x 152
	Dimension Back (L x D x H)	60 x 14 5/8 x 6	1 524 x 371 x 152
6 units / pallet	Cubing	6 units	6 units
	Linear coverage per pallet	30 lin. ft	9.14 lin. m
	Approx. Weight	2 640 lbs	1 197 kg
	Number of rows	2	
	Lin. coverage per row	15 lin. ft	4.57 lin. m




RÖCKA


WALL & EDGE

When building a staircase, the Röcka wall can be used to complete the sides and act as part of a structural system. See the product specifications on page 250.

Pallet Overview - 48"




Pallet Overview - 60"



Chocolate Brown
Rock Garden Brown
Riviera

Fossil stone
Fossil stone
Fossil stone



NOTES

See page 6 for icons description.

Röcka 48" is a double-sided step. Each side has slight natural texture differences. Please take that into consideration when installing them side by side. We recommend keeping the same texture together.

Please note that there is a slight vertical angle on the front and back faces of the step 3/8", from the bottom to the top of the step.

To achieve a natural appearance, product dimensions can vary $\pm 3/16"$ (5 mm) for height and $\pm 1/2"$ (13 mm) for length and width.

*For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another.

Please note that for barefoot walking areas (e.g. pool deck) dark-colored paving units could get very hot under the sun.