



D

TECHO-BLOC WARRANTY APPLIES TO BRANDON STONES. THE WARRANTY DOES NOT APPLY TO ACCESSORY KIT.

VALENCIA

DESCRIPTION: Fire pit TEXTURE: Split Face

Pallet Overview



Split Face Chestnut Brown
Split Face Champlain Grey
Split Face Shale Grey

Specifications per pallet




| | Imperial | Metric |
|-------------------------------|---------------------------|----------------|
| Product dimension (L x W x H) | 9 3/4 x 9 13/16 x 2 15/16 | 247 x 250 x 75 |
| Cubing | 80 units | 80 units |
| Approx. Weight | 1 557 lbs | 706 kg |
| Height | 14 3/4 in | 375 mm |
| Exterior Diameter | 48 15/16 in | 1 243 mm |
| Interior Diameter | 29 1/8 in | 740 mm |
| Number of rows | 5 | |


Options and accessories (sold separately)

Sleeve Insert

Wood Firepit



Smokeless Insert



HPC BURNERS AND BREEO ACCESSORIES (SOLD SEPARATELY)


HPC BURNERS

FEATURES:

Natural Gas or Liquid Propane
Standard BTU: 65K
Push button ignition

INCLUDES:

Stainless steel burner with aluminum pan, mounting brackets, Dante valve with push-button ignition, vents, lava rock and stainless steel cover.
See page 127 for details.



GRILLING SYSTEM OUTPOST™

Only for Smokeless inserts

Transforms fire pit into wood-fired grill.
Weight: 12 lbs. 9 oz.
Diameter: 22 inches
See page 128 for details.



NOTES

See page 6 for icons description.

Available with UGO (Universal Gas Orifice) for natural gas & liquid propane burning options, wood burning or smokeless wood burning.

A Spark screen should always cover the fire bowl when the fireplace is in use.

Caps are sold separately



Insert sold separately. Techo-Bloc is not responsible for any damages to the firepit if it is not installed with a sleeve or accessory kit. The firepit is not designed for large fires. Fire should be contained at least 6" away from the firepit wall blocks. Overheating could lead to heat

OPTIONS AND ACCESSORIES are SOLD SEPARATELY.

See page 126 for details.


INSTALLATION GUIDE

VALENCIA FIRE PIT (KIT)



ELEVATION A

TOP VIEW



SECTION 1-1

- A. STEEL BOX INSERT
- B. CLEAN STONE 3/4" (20 mm), 6" (150 mm) THICK
- C. VALENCIA BLOCK
- D. TECO-BLOC PAVERS OR SLABS
- E. SETTING BED 1" (25 mm)
- F. COMPACTED GRANULAR BASE 0-3/4" (0-20 mm)

QUANTITY OF MATERIALS REQUIRED

- Valencia block: **80**

NOTE: Secure the blocks using a heat resistant concrete adhesive. The installer must ensure that the installation and use of the fire pit comply with local regulations and code requirements.

Consult our Installation Guide in our website for a detail step by step installation.

HPC BURNERS FOR FIRE PITS

DESCRIPTION

Made for outdoor gas fire pits (natural or propane), the patented design of the Torpedo™ burner by HPC delivers the biggest CSA-certified flame on the market. Made of welded commercial-grade stainless steel, this burner seamlessly blends into any fire pit design.

WHAT COMES IN THE HPC BURNER BOX?

Valencia units: burner and connection valve, accessories, owners manual, spark igniter kit, vent covers, key valve bracket, 5 install collars and a cover, 65k orifice installed, 150k orifice loose.


Prescott units: burner and connection valve, accessories, owners manual, spark igniter kit, vent covers, key valve bracket, 4 install collars and a cover, 65k orifice installed, 150k orifice loose.

Brandon units: burner and connection valve, accessories, owners manual, spark igniter kit, vent covers, key valve bracket, 4 install collars and a cover, 65k orifice installed, 150k orifice loose.


Raffinato units: burner and connection valve, accessories, owners manual, spark igniter kit, vent covers, key valve bracket, 4 install collars and a cover 65k orifice installed, 150k orifice loose.

The burner and connection valve come as one part connected. Install collars go around the perimeter of the fire pit.


Lumi Bowl and Sculptura Collection: burner and connection valve, accessories, owners manual, key valve bracket, a vinyl cover, 65k orifice installed, 150k orifice loose.



HPC SQUARE - Compatible with Brandon Square, Prescott and Sculptura Collection (burner pan size as per product)



HPC ROUND - Compatible with Lumi, Sculptura Collection and Valencia (burner pan size as per product)



HPC RECTANGLE - Compatible with Brandon Rectangle, Raffinato and Sculptura Collection (burner pan size as per product)

BREEO SMOKELESS INSERTS

DESCRIPTION


If you enjoy spending nights by a woodburning fire but aren't a fan of the smoke, the Zentro smokeless insert by Breeo was made for you. Designed to provide more oxygen, this insert allows for a hotter fire that burns its own smoke before it has a chance to escape the fire pit. Say goodbye to teary eyes and coughs, and hello to a great night with friends and family.

PRODUCT DETAILS:


Size: 24"

Circular version compatible with:
Valencia Circle Fire Pit


Square version compatible with:
Brandon Square Fire Pit
Prescott Square Fire Pit



BREEO SQUARE



BREEO ROUND 24"



BREEO OUTPOST

MATERIAL:

Outpost™ Grill:

Stainless Steel
Solid Stainless Post

Anchorpoint™ System:

Stainless Steel

DIMENSIONS:

Outpost™ Grill:

Grill Total Width: 22 in.
Grill Space Width: 20.5 in.
Post Height: 23"
(Exposed above Anchorpoint)

Post Total Height: 28.5 in.
(Inserts into Anchorpoint)

Max Height of Grill: 19 in.
(Top of Anchorpoint to Bottom of Grill)

MATERIAL:

Zentro: Black Painted Steel

Weight: 113 lbs.

DIMENSIONS:

Inside Diameter of Bowl: 24 in.

Outside Diameter of Rim: 35 in.

Total Height: 12 in.

MATERIAL:

Zentro: Black Painted Steel

Weight: 104 lbs.

DIMENSIONS:

Inside Diameter of Bowl: 24 in.

Outside Diameter of Rim: 35 in.

Total Height: 12 in.

Anchorpoint™ System:

Anchorpoint Width: 7 in.

Anchorpoint Height: 11 in.

Overall

Total Width: 27 in.

Total Height: 34 in.

Total Weight: 12 lbs. 9 oz.

Max Weight with Outpost™

Grill and Kettle Hook X24

X Series 19: 20 lbs.

X Series 24: 40 lbs.

X Series 30: 70 lbs.

(Weight limits with weight oriented 180 degrees opposite the pit)